

目 次

●第49回 日本赤十字社医学会総会

特別講演 I

「多能性幹細胞を用いた糖尿病治療法開発の展望」

……………京都大学 iPS 細胞研究所
臨床応用研究部門 教授

川口 義弥…………… 347

特別講演 II

「超高齢社会の医学と医療」

……………天理医療大学学長
京都大学名誉教授、奈良県立医科大学名誉教授
元日本赤十字社和歌山医療センター院長

吉田 修…………… 353

特別企画

「再生・蘇りの熊野本宮」

……………熊野本宮大社 宮司

九鬼 家隆…………… 357

指定シンポジウム

「南海トラフ巨大地震に備えて」

…………… 座長

小澤 修一 (神戸赤十字病院 院長)

中 大輔 (日本赤十字社和歌山医療センター

医療社会事業部長(兼)神経救急部長) …… 366

目 次

●第 49 回 日本赤十字社医学会総会優秀演題

リアルタイム RT-PCR 法によるインフルエンザ隔離期間の検討福島 喜代康（日本赤十字社長崎原爆諫早病院）・他.....	390
クリニカルパスの分析・検証、そして再分析まで木村 瞳（石巻赤十字病院）・他.....	393
新人看護師の職場適応過程の調査～メンタルサポート面談の取り組みを通して～水谷 恵里（伊勢赤十字病院）・他.....	397
研修医に選ばれる病院を目指して―臨床研修を支援する教育研修部門の役割―宇都宮 広志（松山赤十字病院）・他.....	404
患者・職員の意識を変える、対応が変わる接遇改善活動について鳥野 佳永（福井赤十字病院）.....	408
難治性 VF に対し PCPS、IABP、低体温療法を導入し良好な転帰を得た一例洪 雄貴（石巻赤十字病院）・他.....	412
看護補助業務従事者の仕事に対する意識調査中野 玲子（京都第一赤十字病院）.....	416
当院におけるバイキング形式の食事提供小田 博之（姫路赤十字病院）・他.....	419
多職種訪問チームによる訪問診療、在宅ターミナルケア（第 3 報）馬場 万寿子（飯山赤十字病院）・他.....	422
自家製プール血清による生化学項目の精度管理―プール血清作製法―宇賀田 章乃（静岡赤十字病院）・他.....	427
●投稿論文	
術前鑑別診断に難渋した von Recklinghausen 病に合併した直腸粘膜下腫瘍の一例伊藤 晶子（名古屋第一赤十字病院）・他.....	433
くも膜下出血を認めず左被殻出血に類似した脳内血腫で発症した左中大脳動脈瘤破裂の一例宮田 五月（芳賀赤十字病院）・他.....	438

CONTENTS

Evaluation of isolation periods of the patients infected with influenza virus using a real-time reverse transcription-polymerase chain reaction assayKiyoyasu FUKUSHIMA, Toru KUBO, Naomi EHARA, Reiji NAKANO, Toyoshi MATSUTAKE, Toshinori SAGARA, Kouichi MORITA and Shigeru KOHNO Japanese Red Cross Nagasaki Genbaku Isahaya Hospital, Department of Virology, Institute of Tropical Medicine, Nagasaki University, Department of Molecular Microbiology and Immunology, Nagasaki University Graduate School of Biochemical Sciences	390
Analysis and Revision of Clinical PassesHitomi Kimura, Satoshi Suzuki, Satoru Ishibashi, Kou Sasaki Japanese Red Cross Ishinomaki Hospital, Division of Medical Professions, Department of Thoracic Surgery, Department of Medical Technology	393
A study on the work adjustment process of beginner nurses ~ research through interviews for mental health ~Eri MIZUTANI, Sayo MITSUOHORI, Mari NAKAI, Sho ITO, Tomohide RYOZAKI, Makiko OKUNO Clinical Psychology Team, Department of Medical Technology, Ise Red Cross Hospital, Japan	397
We aim at the hospital chosen as many junior residents. — The role of education and training sector to support the clinical training —Hiroshi UTSUNOMIYA, Tomoaki Fujisaki, Kikue TAKEDA, Yuki FUJIBUCHI Japanese Red Cross Matsuyama Hospital	404
The service "KAIZEN" activity by the awareness reform of patients and employeesKae SHIMANO Japanese Red Cross Fukui Hospital	408
Attaining a Satisfactory Outcome for Prolonged Ventricular Fibrillation by Using PCPS, IABP, and Therapeutic Hypothermia. A Case Report.Yuki KOU, Masakazu KOBAYASHI, Junya ENOMOTO, Hirohumi TAKUMA, Shohei TOYAMA, Tetsuya SATO, Michio KOBAYASHI, Satoru ISHIBASHI Junior resident, Japanese Red Cross Ishinomaki Hospital Medical Emergency Center, Japanese Red Cross Ishinomaki Hospital	412
A Survey for the Nursing Assistant's Attitude toward Their WorkReiko Nakano Japanese Red Cross Kyoto Daiichi Hospital	416
Meal offer of the lunch buffet from in this hospitalHiroyuki ODA, Eiko TSUKAMOTO Department of Nutrition, Japanese Red Cross Himeji Hospital	419
Home Medical Care and Home Terminal Care by Multidisciplinary Home-visit Team. (The Third Report)Masuko BABA Kenichi FURUKAWA Kiyotosi KANEKO Department of Home-visit Nurse Station, Department of Internal Medicine, Department of Neurology, Japanese Red Cross Iiyama Hospital	422
The method of our own conserved serum —For the quality control of biochemical items —Fumino UGATA, Koichi YAMAGUCHI, Takako KAWAGUCHI, Sumiko AKASAKA and Masahiko OHATA Department of Clinical Laboratory, Japanese Red Cross Shizuoka Hospital	427
A Case of Rectal Submucosal Tumor Difficult for Preoperative Differential Diagnosis in a Patient with von Recklinghausen's DiseaseAkiko Ito, Norihiro Yuasa, Eiji Takeuchi, Yasutomo Gotoh, Hideo Miyake, Hidemasa Nagai, Masaaki Hattori, Soichiro Asai, Kanji Miyata, Takuya Ishikawa, Masahiko Fujino Department of Gastroenterological Surgery, Japanese Red Cross Nagoya Daiichi Hospital, Nagoya, Japan, Department of Gastroenterology, Department of pathology	433
Ruptured left middle cerebral artery aneurysm resembling the left putaminal hemorrhage without subarachnoid hemorrhage.Satsuki MIYATA, Takashi YAMAGUCHI, Rintarou KURODA and Eijyu WATANABE Department of Neurosurgery, Japanese Red Cross Haga Hospital Department of Neurosurgery, Jichi-Medical University, Tochigi, Japan	438